

L Number	Hits	Search Text	DB	Time stamp
1	2	("20030124977").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 21:45
-	3	(self adj positioning) with transceiver	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 14:44
-	8	(self with positioning) with transceiver	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 12:58
-	2	(self with positioning) with repeater	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 13:37
-	466	455/11.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 13:38
-	3	455/11.1.ccls. and (self with positioning)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 13:42
-	4	455/11.1.ccls. and (self with positioning or position or alignment or aligned))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 16:11
-	1	370/315.ccls. and (self with (positioning or position or alignment or aligned))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 13:46
-	3	370/316.ccls. and (self with (positioning or position or alignment or aligned))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 13:49
-	11	455/12.1.ccls. and (self with (positioning or position or alignment or aligned))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 13:51
-	1	455/13.4.ccls. and (self with (positioning or position or alignment or aligned))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 13:55
-	1	455/13.3.ccls. and (self with (positioning or position or alignment or aligned))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 13:55
-	8	455/13.1.ccls. and (self with (positioning or position or alignment or aligned))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 13:57
-	2	455/13.2.ccls. and (self with (positioning or position or alignment or aligned))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 14:00
-	3	455/450.ccls. and (self with (positioning or position or alignment or aligned))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 14:01
-	95	455/11.1.ccls. and (mobile with repeater)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 15:38
-	95	455/11.1.ccls. and (mobile with repeater)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 14:12

*Search notes Do Not Send*

-	26	455/11.1.ccls. and (mobile with repeater) and (control adj channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 15:41
-	2	455/11.1.ccls. and (moving with repeater) and (control adj channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 15:44
-	1	455/11.1.ccls. and (movable with repeater)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 15:43
-	11	455/11.1.ccls. and (moving with repeater)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 15:44
-	3	455/450.ccls. and (self with (positioning or position or alignment or aligned))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 16:13
-	2	455/450.ccls. and (self with (positioning or position))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 16:13
-	13	455/450.ccls. and (transceiver with (positioning or position))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/24 16:15
-	22	455/11.1.ccls. and (transceiver with (positioning or position))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/25 15:30
-	43	455/11.1.ccls. and (control with channel) and (traffic with channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/25 15:33
-	20	455/11.1.ccls. and (control adj channel) and (traffic adj channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/25 15:37
-	20	455/11.1.ccls. and (control adj channels) and (traffic adj channels)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/25 15:37
-	139	(position) with (based or dtermed or according) with (signal adj strength)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/27 08:22
-	60	(position) with (based or determined or according) with (signal adj strength) and (transceiver or repeater)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/27 08:22
-	57	(gateway with satellite) and (alternate with path)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/27 12:41
-	3	(gateway with satellite) and (shortest with route)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/27 12:42
-	18	(gateway with satellite) and (shortest with path)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/27 15:17
-	0	(gateway with satellite) and (redundant with route)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/27 15:18
-	10	(gateway with satellite) and (redundant with path)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/27 16:19

-	0	(self adj positioning adj data) and (RAM)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/27 16:20	
-	1	("6507739").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/02 14:36	
-	25	455/11.1.ccls. and aircraft	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/20 16:16	
-	4	455/11.1.ccls. and aircraft with repeater	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/20 16:13	
-	0	455/11.1.ccls. and aircraft with repeater and automobile	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/20 16:13	
-	4	(aircraft or airplane or plane or airborne or hovercraft or hover or crawl) with repeater and (automobile or car)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/20 16:16	
-	0	smithin. and motorola.as. and positioning.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/10 10:22	
-	3	smith.in. and motorola.as. and positioning.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/10 14:03	
-	1	2003-897163.NRAN.	DERWENT	2004/03/10 10:23	
-	1	2003-897163.NRAN.	DERWENT	2004/03/10 10:23	
-	1818	455/421,422.1,423,424,427,431,446,449,456.1 and (mov\$4 or (self adj position\$3)) with (basestation or (base adj station) or mobile)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/10 10:56	2,456.5,456.6,11.1
-	862	455/421,422.1,423,424,427,431,446,449,456.1 and (mov\$4 or (self adj position\$3)) with (basestation or (base adj station))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/10 11:30	2,456.5,456.6,11.1
-	49	455/421,422.1,423,424,427,431,446,449,456.1 and (movable or (self adj positioning)) with (basestation or (base adj station))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/10 10:50	2,456.5,456.6,11.1
-	1	"5404570".PN.	USPAT	2004/03/10 10:58	
-	7	5729826.URPN.	USPAT	2004/03/10 10:59	
-	2	6243585.URPN.	USPAT	2004/03/10 11:02	
-	4	455/421,422.1,423,424,427,431,446,449,456.1 and (movable or (self adj positioning)) with repeater	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/10 11:20	2,456.5,456.6,11.1
-	3	455/421,422.1,423,424,427,431,446,449,456.1 and (automatic\$4 with mobile with position\$3) same ((signal or link or reception) with (quality or level))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/10 19:28	2,456.5,456.6,11.1
-	166	455/421,422.1,423,424,427,431,446,449,456.1 and (mobile) adj (basestation or (base adj station))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/10 11:30	2,456.5,456.6,11.1
-	15	455/421,422.1,423,424,427,431,446,449,456.1 and (portable) adj (basestation or (base adj station))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/10 11:49	2,456.5,456.6,11.1

-	14	rangachar.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/10 13:20
-	829	tunnel and moving with base	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/10 13:21
-	35	tunnel and moving with base adj station	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/10 13:21
-	1	2003-897163.NRAN.	DERWENT	2004/03/10 14:01
-	1	2003-897163.NRAN.	DERWENT	2004/03/10 14:02
-	0	smith.in. and motorola.as. and positioning.ti.	US-PGPUB	2004/03/10 14:02
-	9	smith.in. and motorola.as.	US-PGPUB	2004/03/10 14:02
-	2	("20030124977").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/10 14:03
-	1289	homing with signal	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 14:44
-	17	(homing with signal) same (base adj station or basestation)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 15:10
-	20904	(automatic\$4 or (self adj position\$3)) with (transceiver or repeater or basestation or (base adj station) or mobile)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 15:12
-	8040	(automatic\$4 or (self adj position\$3)) with (transceiver or repeater or basestation or (base adj station))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 15:12
-	67	((automatic\$4 or self) adj position\$3)) with (transceiver or repeater or basestation or (base adj station))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 15:13
-	1	((automatic\$4 or self) adj position\$3)) with (transceiver or repeater or basestation or (base adj station)) and homing	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 15:14
-	3	((automatic\$4 or self) adj position\$3)) with (transceiver or repeater or basestation or (base adj station) or mobile) and homing	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 15:14
-	3	((automatic\$4 or self) adj position\$3)) with (transceiver or repeater or basestation or (base adj station) or mobile) and homing	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 15:14
-	0	(2003/0124977).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/18 17:45
-	2	("20030124977").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/18 17:49
-	5829	remote with control\$4 with (repeater or basestation or (base adj station) or (mobile))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/18 17:50
-	3164	remote adj control\$4 with (repeater or basestation or (base adj station) or (mobile))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/18 17:50

-	820	remote adj control\$4 with (repeater or basestation or (base adj station))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/18 17:50	
-	36	remote adj controlled with (repeater or basestation or (base adj station))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/18 17:56	
-	4	remote adj controlled with mobile with (repeater or basestation or (base adj station))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/18 17:56	
-	9	remote adj controlled with (mobile or portable or movable or moving) with (repeater or basestation or (base adj station))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/18 17:57	
-	6	455/421,422.1,423,424,427,431,446,449,456.1 and homing with signal	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/18 19:29	2,456.5,456.6,11.1
-	2	("6243585").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 10:48	
-	330	455/421,422.1,423,424,427,431,446,449,456.1 and (automatic\$4 with position\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 10:50	2,456.5,456.6,11.1
-	31	455/421,422.1,423,424,427,431,446,449,456.1 and (automatic\$4 with position\$3) with (link or quality)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 10:55	2,456.5,456.6,11.1
-	46	455/421,422.1,423,424,427,431,446,449,456.1 and (automatically with positioning)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:06	2,456.5,456.6,11.1
-	0	455/421,422.1,423,424,427,431,446,449,456.1 and moving with by with itself	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:08	2,456.5,456.6,11.1
-	427	455/421,422.1,423,424,427,431,446,449,456.1 and portable with (repeater or basestation or (base adj station))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:09	2,456.5,456.6,11.1
-	1203	455/421,422.1,423,424,427,431,446,449,456.1 and (portable or mov\$4) with (repeater or basestation or (base adj station))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:09	2,456.5,456.6,11.1
-	60	455/421,422.1,423,424,427,431,446,449,456.1 and (portable or mov\$4) with (repeater or basestation or (base adj station)) same itself	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:10	2,456.5,456.6,11.1
-	1	455/421,422.1,423,424,427,431,446,449,456.1 and (portable or mov\$4) with (repeater or basestation or (base adj station)) same itself with move	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:16	2,456.5,456.6,11.1
-	0	455/421,422.1,423,424,427,431,446,449,456.1 and ballon	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:16	2,456.5,456.6,11.1
-	3	455\$.ccls. and ballon	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 12:56	
-	3	455/\$.ccls. and ballon	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 14:21	
-	4	("4117486").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:26	

-	1	gb-1598423-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:27
-	0	gb-0834596-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:28
-	0	gb-834596-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:34
-	3860	satellite with position with signal	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:34
-	222	satellite with position with signal with (strength or quality or level)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:34
-	10	satellite with position with signal with (strength or quality or level) with adjust	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:36
-	10	satellite with position with (signal or communications or link) with (strength or quality or level) with adjust	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:37
-	0	adjust near2 satellite with orbit with (signal or communications or link) with (strength or quality or level)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:37
-	0	adjust with satellite with orbit with (signal or communications or link) with (strength or quality or level)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:38
-	0	adjust with repeater with (signal or communications or link) with (strength or quality or level) with position	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:38
-	25	adjust with repeater with (signal or communications or link) with (strength or quality or level)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:39
-	4	(adjust\$3 or mov\$3) with repeater with (signal or communications or link) with (strength or quality or level) with position	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:40
-	28	(adjust\$3 or mov\$3) with (base adj station) with (signal or communications or link) with (strength or quality or level) with position	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:42
-	4	(adjust\$3 or mov\$3) with (repeater) with position same (signal or communications or link) with (strength or quality or level)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:43
-	8	(adjust\$3 or mov\$3) with (repeater) with (orientation or location or place) same (signal or communications or link) with (strength or quality or level)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 11:43
-	0	ballon with repeater	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 12:56
-	0	ballon same repeater	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 12:56
-	0	ballon same transceiver	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 12:58

-	3043	radio adj controlled	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 12:58
-	2	radio adj controlled same repeater	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 13:00
-	0	455/11.1.ccls. and remote adj controlled	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 13:00
-	198	455/\$.ccls. and remote adj controlled	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 13:00
-	14	455/\$.ccls. and remote adj controlled and repeater	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 13:54
-	2	("6167263").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 16:27
-	0	("wo-9504407-\$.did.").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 13:56
-	2	wo-9504407-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 14:05
-	2	("5530909").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 14:05
-	91	455/\$.ccls. and balloon	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 14:21
-	2	("6243585").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 17:40
-	1	455/11.1.ccls. and signal with quality with equal	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 17:42
-	6	455/11.1.ccls. and distance with equal	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/19 21:45